



AUTEL IS A LEADING DEVELOPER, MANUFACTURER, AND DISTRIBUTOR OF PROFESSIONAL AUTOMOTIVE DIAGNOSTIC TOOLS, EQUIPMENT, AND ACCESSORIES. AUTEL IS COMMITTED TO PRODUCING LEADING-EDGE TOOLS PROVIDING CUSTOMERS WITH ENDURING VALUE AND SUPERIOR TECHNOLOGY.

Autel's dedication to research and development for 20 years enabled this global company to create products that have consistently met or exceeded customers' expectations in value, quality, and functionality.

Professional technicians in more than 50 countries worldwide, including the United States, Germany, the United Kingdom, Dubai, and Australia, use Autel products.

Autel's landmark tools include its flagship MaxiSYS line of comprehensive, advanced diagnostics tablets that enable technicians to perform OE-level diagnostics on U.S., Asian, and European vehicles, 1996 and newer. Functionality includes performing all systems module scans and advanced coding and adaptations.

With a successful background in diagnostics, Autel confidently expanded its product line into the Tire Pressure Monitoring System (TPMS) servicing, Key and Immobilizer Programming, Battery and Charging Systems Analysis, and Advanced Driver Assistance System (ADAS) calibration markets.

Autel remains dedicated to providing technicians with progressive software and tools designed to meet the challenges of servicing the vehicles of today and tomorrow.





WE CONSTANTLY STRIVE TO IMPROVE THE EFFICIENCY OF OUR PRODUCTS AND SEEK TO OFFER OUR END-USER TECHNICIANS THE MOST EFFECTIVE AND VALUE-DRIVEN DIAGNOSTIC AND SERVICE PRODUCTS ON THE MARKET

OUR TOOLS

DIAGNOSTIC TOOLS

PAGES 4-21

ADAS & ALIGNMEN

PAGES 22-31

PAGES 32-37

MAXISYS MSULTRA
MAXISYS MS919
MAXISYS MS909
MAXISYS MS906 MAX
MAXISYS MS906 PRO-TS
MAXIFLASH XLINK
MAXISYS MSULTRA EV
MAXISYS MS909 EV

MAXIEV CDT100

MAXIEV ALT100L

MAXIEVITS100

MAXICHECK MX900
MAXIDIAG MD808 PRO
AUTOLINK AL629
AUTOLINK AL549
AUTOLINK AL329
MAXIAP AP2500
MAXISYS MS909 CV
MAXISYS MS908 CVII
MAXIDIAG MD600 CV
AUTOLINK AL529 HD

TDMS SERVICE

MAXISYS IA900

MAXISYS IA700

PAGES 38-43

V DROCKAMMING PAGES 44-49

BATTERY SERVICE

PAGES 50-53

MAXITPMS TS900
MAXITPMS ITS600 / ITS600 PRO
MAXITPMS TS508 WF
MAXITPMS TBE200
MX-SENSOR BLE
MX-SENSOR 1-SENSOR

MX-SENSOR 1-SENSOR ADJUSTABLE ANGLE MX-SENSOR 1-SENSOR

MAXISYS IA800

MAXISYS MA600

MAXIIM IM608PROIIKPA
MAXIIM IM508 S
MAXIIM KM100
IKEYS - RAZER / PREMIUM / STANDARD
MAXIIM XP400 PRO
MAXIIM KEY PROGRAMMING ADAPTER KIT
MAXIIM APB131 ADAPTER
G-BOX3 KEY PROGRAMMING ADAPTER

VFHIGIF LIFTS

ALIGNMENT SCISSOR LIFT

ADAS BAY MAX LIFT

MAXIBAS BT609 MAXIBAS BT608 MAXIBAS BT506 OBDII MEMORY SAVER OBDII EXTENSION CABLE BATTERY TESTER ACCESSORY KIT

SPECIALTY

MX-SENSOR BUNDLES

PAGES 54-57

MAXIVIDEO MV480 MAXIVIDEO MV105S
MAXIVIDEO MV460 MAXIVIDEO MV108S
OSCILLOSCOPE ACCESSORY KIT

DIAGNOSTIC TOOLS



SCAN TO VIEW ALL DIAGNOSTIC TOOLS





ADVANCED DIAGNOSTICS







SPLIT SCREEN MULTI-APP FUNCTION

MAXIFLASH ADVANCED VCMI 5-IN-1

MAXIFLASH VCI

THE TOPOLOGY MODULE MAPPING

MAXISYS MSULTRA

TOUCHSCREEN DIAGNOSTIC TABLET WITH SPLIT SCREEN & VCMI

Our most advanced diagnostic system, featuring a 12.7-inch tablet that offers comprehensive vehicle and systems coverage, bi-directional Active Tests and Special Functions, coding and adaptation capability, all systems Pre- and Post scanning with ADAS identification, OE-style module topology, an extensive service menu, and in-depth, customizable reports with on-tablet or cloud-based storage. This Android-based touchscreen tablet with split-screen capability comes with the multi-functional MaxiFlash VCMI. This Wi-FI and Bluetoothcapable device is an enhanced vehicle communication device (VCI), J2534 pass-thru programmer, 4-channel oscilloscope, digital multimeter, CAN bus tester, and waveform generator.

PART NUMBER: MSULTRA

TOUCHSCREEN DIAGNOSTIC TABLET WITH VCMI

Featuring the same comprehensive vehicle, systems, and service software as the Ultra with 9.7-inch screen and 128GB storage space. Also includes the multi-functional MaxiFlash VCMI enhanced vehicle communication device (VCI), J2534 pass-thru programmer, 4-channel oscilloscope, digital multimeter, CAN bus tester, and waveform generator.

9.7" TOUCHSCREEN DIAGNOSTIC TABLET WITH VCI

Featuring the same comprehensive vehicle, systems, and service software as the Ultra and the MS919 and mirrors the MS919 in hardware specifications such as size (9.7-inch screen), storage space (128GB), and battery life. The MS909 system includes the MaxiFlash VCI that offers the same enhanced communication protocols and J2535 pass-thru capabilities of the Ultra and MS919-equipped MaxiFlash VCMI unit without testing and measurement functions.

PART NUMBER: MS919

PART NUMBER: MS909

HARDWARE					
SCREEN	12.9-Inch Touchscreen	9.7-Inch Touchscreen	9.7-Inch Touchscreen		
BATTERY	18,000 mAh	15,000 mAh	15,000 mAh		
MEMORY	256GB SSD / 4GB RAM	128GB SSD / 4GB RAM	128GB SSD / 4GB RAM		
CAMERA	16MP Rear / 5MP Front	16MP Rear / 16MP Front	16MP Rear / 16MP Front		
DOCKING STATION	Included	-	-		
SOFTWARE	SOFTWARE				
OPERATING SYSTEM	Android 10.0	Android 10.0	Android 10.0		
OSCILLOSCOPE	VCMI 5-In-One Device: VCI Multimeter, Waveform Generator, Can Bus Tester	VCMI 5-In-One Device: VCI Multimeter, Waveform Generator, Can Bus Tester	-		
SPLIT SCREEN DISPLAY	View Multiple Functions At Once	-	-		

ADDITIONAL FEATURES

- · Supports Latest Vehicle Communication Protocols
- 1 Year Free Updates Via Wi-Fi
- Automatic Auto-Vin, Auto-Scan, Scan-Vin, Plate Scan Detection
- Secure Gateway module access on Stellantis (Dodge, Chrysler, Jeep, RAM, Fiat, Maserati and Alfa Romeo) and late-model Nissan vehicles with an AutoAuth account
- Extensive Vehicle Coverage Of US, Asian, and European Passenger, Light Duty, Some Medium Duty Vehicles, 1996 and Newer
- All 10 OBDII Test Modes Live & Freeze Frame And Enhanced Mode 6
- Reset Diesel PM Emissions Light & Medium Duty Vehicles

- · System Diagnostics Access For All Modules In All Systems
- Color-Coded Topology Module Mapping For All System Status Screen On Supported Vehicles
- Perform ADAS Calibrations with an ADAS Upgrade and Frame Kit (Purchase Required)
- Battery, starter, and charging system testing available when paired with the MaxiBAS BT506 (Purchase Required)
- Add video inspections to your tablet by purchasing the MaxiVIDEO MV108S or MaxiVIDEO MV105S



PART NUMBER: EVDIAGKIT

PRO DIAGNOSTICS





A TIRE PRESSURE MANAGEMENT SYSTEM SERVICES

PROFESSIONAL DIAGNOSTIC TABLET

MAXISYS MS906 MAX

PROFESSIONAL DIAGNOSTIC TABLET

The newest diagnostic tablet in the MaxiSYS 906 series, delivers everything users expect and more from this workhorse and go-to tablet line. The MS906MAX features a larger 10.1-inch high-resolution touchscreen, is powered by a powerful Octa-Core processor for quicker scans, tests, and actions, and boasts 128GB of storage space for full vehicle coverage accommodation and includes the MaxiVCI VCI200 communication device that supports the latest vehicle protocols.

PART NUMBER: MS906MAX

MAXISYS MS906 PRO-TS

PROFESSIONAL DIAGNOSTIC & TPMS TABLET

The MaxiSYS MS906Pro-TS is an 8-inch wireless diagnostic tablet. It offers comprehensive TPMS servicing with an embedded antenna to activate and read all known TPMS sensors and program Autel 1-Sensors. Professional diagnostic capabilities include all-system scans, ADAS identification, code reading/erasing, live data, bi-directional control and tests, and service tasks.

PART NUMBER: MS906PRO-TS

HARDWARE					
SCREEN	10.1-Inch Touchscreen	8-Inch Touchscreen			
BATTERY	11,600 mAh	11,600 mAh			
MEMORY	128GB SSD / 4GB RAM	128GB SSD / 4GB RAM			
PROCESSOR	Octa-core Processor	Octa-core Processor			
CAMERA	13MP Rear	16MP Rear / 16MP Front			
SOFTWARE					
OPERATING SYSTEM Android 10 Android 7.0		Android 7.0			
COMPLETE TPMS FUNCTION	-	TPMS Diagnostics, Service & 1-Sensor Programming			

ADDITIONAL FEATURES

- · Bluetooth MaxiFlash VCI Including Latest Protocols
- 1 Year Free Updates Via Wi-Fi
- · Automatic Auto-Vin, Auto-Scan, Scan-Vin, Plate Scan Detection
- Secure Gateway module access on Stellantis and late-model Nissan vehicles with an AutoAuth account
- Extensive Vehicle Coverage Of US, Asian, and European Passenger, Light Duty, Some Medium Duty Vehicles, 1996 and Newer
- · All 10 OBDII Test Modes Live & Freeze Frame And Enhanced Mode 6
- Reset Diesel PM Emissions Light & Medium Duty Vehicles

- · System Diagnostics Access For All Modules In All Systems
- Color-Coded Topology Module Mapping For All System Status Screen On Supported Vehicles
- Able To Be Updated To Perform ADAS Calibrations with an ADAS Upgrade and Frame Kit (Purchase Required)
- Battery, starter, and charging system testing available when paired with the MaxiBAS BT506 (Purchase Required)
- Add video inspections to your tablet by purchasing the MaxiVIDEO MV108S or MaxiVIDEO MV105S



STAY CURRENT AND DON'T MISS OUT ON VALUABLE BENEFITS & TOOL FUNCTIONALITY

Get the most out of your Autel diagnostic tools with the Autel Total Care Program, available on most MaxiSYS Tablets. More information on page 58.

REMOTE DIAGNOSTICS



MAXIFLASH XLINK

A 3-in-1 device functioning as an enhanced VCI supporting the latest vehicle communications protocols, a J2534 pass-thru programmer, and a Remote Expert (RE) platform interface. Via the RE platform, technicians can contract with experienced programmers and technicians with 0.E. software and tools to perform module programming, 0.E. pre- and post-scans, and ADAS calibrations on new vehicles.

PART NUMBER: XLINK



ACCESS OEM SERVICES ON YOUR AUTEL TOOL

Carrying active OEM subscriptions for all manufacturers is not possible for many shops. However, access to this software is required for certain modern vehicles and repairs, and for validating pre- and post-scans. This is why Autel created the Remote Expert, a cloud-based solution offering shops and Technicians access to brand-specific Diagnosticians with the expertise to perform remote module programming, coding, late model ADAS calibrations, and the access to the OEM software to get the job done quickly and accurately.

EXTENSIVE COVERAGE

Access Pre-qualified and Brand-specific Diagnosticians and All OEM Software and Tools

REMOTE INTERFACE

Remote Transmission Module and ECM Programming, ADAS Calibration, Pre- & Post-scans

STREAMLINED INFORMATION

Create Orders Quickly and Easily With Auto Populated Vehicle ID and Health Scan Report



EASILY INITIATE A REMOTE EXPERT SESSION

DIRECTLY FROM YOUR AUTEL MAXISYS MSULTRA, MS919, MS909, OR XLINK







THE MOST UP-TO-DATE INFORMATION TO REPAIR AND SERVICE VEHICLES QUICKLY AND CORRECTLY

EXPANSIVE OFM SERVICE AND REPAIR CONTENT

Comprehensive content covering component locations, diagnostic trouble codes (DTCs), maintenance schedules, repair procedures, specifications, technical service bulletins (TSBs) and circuit diagrams/connection diagrams. Also includes OEM Position Statements and ADAS-related repair details.

SINGLE LOCATION REPAIR DETAILS

Associated content (related repair details, required tools, warnings) is presented with service procedures in a single location, ensuring that end users do not waste time looking for the information they need.

ADVANCED SEARCH CAPABILITIES

Advanced "global search" includes ability to dig deep into content—beyond just the headers—to ensure only the best possible matches are presented based on search criteria provided.

FASTER TIME-TO-MARKET AND IMPLEMENTATION

New content available within days of being published by the OEM and VIN-specific carryover of year, make, model, and engine. Plus access to vehicle-specific repair information.

SAVE TIME WITH CARSIDE SERVICE & REPAIR CONTENT







Component Locations, DTCs, Maintenance Schedules, Repair Procedures, TSBs, Circuit Diagrams/ Connection Diagrams, + More.

EV & HYBRID DIAGNOSTICS





MAXIFLASH ADVANCED VCMI 5-IN-1

MAXIFLASH VCI

EV DIAGNOSTICS BOX

MAXISYS MSULTRA EV

ADVANCED E.V., HYBRID, GAS, AND DIESEL VEHICLE DIAGNOSTICS

Offering advanced diagnostics for electric, hybrid, gas, and diesel vehicles, this 12.7-inch Android-based touchscreen tablet features enhanced network topology and battery pack analysis via OBDII or direct access with the included EVDiag box and specialty cables. Kit includes MaxiFlash VCMI, a 5-in-1 communications and measurement device with a 4-channel oscilloscope, multimeter, CAN bus tester, and waveform generator capabilities, in addition to it being a J2534 pass-thru programmer and enhanced VCI.

PART NUMBER: MSULTRAEV

MAXISYS MS909 EV

ADVANCED E.V., HYBRID, GAS, AND DIESEL VEHICLE DIAGNOSTICS

A smaller (9.7-inch touchscreen) tablet than the UltraEV, the MS909EV offers the same advanced diagnostics and service coverage as the Ultra E.V. for electric, hybrid, gas, and diesel vehicles, and includes the dedicated EVDiag Box for comprehensive battery analysis and the MaxiFlash VCI. The MaxiFlash VCMI Kit can be purchased separately to upgrade the MS909EV measurement and testing capabilities.

PART NUMBER: MS909EV

HARDWARE					
SCREEN	12.7-inch Touchscreen	9.7-Inch Touchscreen			
BATTERY	18,000 mAh 15,000 mAh				
MEMORY	256GB SSD / 4GB RAM	128GB SSD / 4GB RAM			
PROCESSOR	2.2GHz + 1.8GHz Octa-Core	2.2GHz + 1.8GHz Octa-Core			
CAMERA	16MP Rear / 5 MP Front	16MP Rear / 16MP Front			
DOCKING STATION	Included -				
SOFTWARE					
OPERATING SYSTEM	Android 7.0	Android 7.0			

ADDITIONAL FEATURES

- 1 Year Free Updates Via Wi-Fi
- · Automatic Auto-Vin, Auto-Scan, Scan-Vin, Plate Scan Detection
- · Secure Gateway Access With Authorized FCA Access with an AutoAuth Account
- · Extensive Vehicle Coverage Of US, Asian, and European Passenger, Light Duty, Some Medium Duty Vehicles, 1996 and Newer
- All 10 OBDII Test Modes Live & Freeze Frame And Enhanced Mode 6
- 36 Service Reset Features
- Reset Diesel PM Emissions Light & Medium Duty Vehicles
- · System Diagnostics Access For All Modules In All Systems

- · High-Voltage System Diagnostics Diagrams
- · SOC and SOH Battery Pack Diagnostics
- · Bi-Directional Component Activation Controls
- · Enhanced Coding Adaptations
- · Color-Coded All System Topology Module Mapping Status Screen*
- · Starting and Charging System Analysis with MaxiBAS BT506 Bluetooth Tester and Terminal Cables (Purchase Required).
- · Able To Be Updated To Perform ADAS Calibrations with an ADAS Upgrade and Frame Kit (Purchase Required).

TESLA ADAPTERS & DIAGNOSTIC CABLES







EV & HYBRID DIAGNOSTICS







MAXIEV CDT100

HV BATTERY DISCHARGE AND CHARGE UNIT

A high-voltage battery charger and discharger designed to improve battery pack capacity via constant current charge/discharge modes. It displays single-cell voltage data in graphs, columns, and reports. The unit is necessary for E.V. transporters, repair shops, salvage yards, and warehouses for safe battery storage and shipping requirements.

MAXIEV ALT100L

EV BATTERY ENCLOSURE INTEGRITY TESTER

The MaxiEV ALT100L's ability to test high-voltage battery enclosures and thermodynamic systems for leaks makes it an essential tool for shops working on E.V.s. It features a real-time dual-pressure display, high-sensitive sensors for improved accuracy, and customizable presets. The tester offers on-screen monitoring and automatic test saving.

MAXIEV ITS100

HV ELECTRICAL COMPONENT INSULATION & RESISTANCE TESTER

An E.V. insulation resistance tester and a must-have tool for all shops working on high-voltage vehicle systems. It applies D.C. voltage (50V-1000V) to components to measure current flow, detecting insulation damage or contamination. It offers visualized data for easy analysis during maintenance.

PART NUMBER: CDT100 PART NUMBER: ALT100L PART NUMBER: ITS100

1.855.288.3587 • AUTEL.COM

SERVICE TOOLS





ADVANCED SERVICE & SYSTEM CODE READER

SYSTEM CODE READER

FQ ALL SYSTEM DIAGNOSTICS

MAXICHECK MX900

ALL SYSTEMS & SERVICE TARLET

An 8-inch touchscreen, all-systems, and service tablet. This corded tablet can read and erase codes, view freeze frame and, view and graph live data, and perform Active Tests and Special Functions. The MX900 is also a full-featured service tablet with more than 40 Service and maintenance tasks, including brake bleed, oil and service lights resets, battery registration, DPF regen, and electronic parking brake and steering angle sensor resets.

PART NUMBER: MX900

MAXIDIAG MD808 PRO

ALL SYSTEMS & SERVICE HANDHELD TOOL

The MD808Pro is an advanced all systems code reader featuring AutoSCAN of all available vehicle systems. Featuring a 4-inch color screen, the MS808Pro can graph/record/playback live data, display freeze frame data, and supports all 10 0BDII test modes, including Mode 6. Features quick I/M readiness/emissions testing, and can perform six service tasks including DPF Regen. The MD808P is updatable via PC.

PART NUMBER: MD808P

DIY TOOLS



AUTOLINK AL629

4-SYSTEM CODE READER

The AutoLINK AL629 reads and erases engine, ABS, SRS, and transmission system codes on 1996+ domestic, Asian, and European vehicles. It retrieves VIN, CALID, CVN, displays and graphs Live Data, supports all 10 OBDII modes, and includes I/M Readiness and Mode 6 data. Features a 2.8° LCD display, and P.C. report printing.



AUTOLINK AL549

ENGINE AND ABS CODE READER WITH BATTERY, STARTER, AND CHARGING TESTS

The AutoLINK AL549 scans U.S., Asian, and European vehicles (1996+), reading/erasing engine and ABS codes. It displays Freeze Frame and Live Data with color-coded Fault and I.M. Readiness status. It supports all 10 OBDII modes, and offers basic battery, starter, and charging system testing.



AUTOLINK AL329

ENGINE CODE READER

Enables users to scan for engine codes on 1996 and newer vehicles. Quickly check the malfunction indicator light status and cause. One Click I/M Readiness (Emissions) Status checks the vehicle's emissions compliance. Read and Clear Current, Pending, and Permanent Codes and query Freeze Frame Data. The color display and simple key navigation make using this tool fast and easy.



MAXIAP AP2500

SMARTPHONE VEHICLE DIAGNOSTICS

An app-based diagnostics and service tool compatible with Android and iOS phones that can perform All Systems diagnostics on one 1996 and newer vehicle brand (with additional brand coverage available with in-app purchases.) Read and erase codes, perform emissions-readiness tests, and view Freeze Frame. Performs several common service tasks: battery registration, TPMS sensor relearn, and oil light service reset.

PART NUMBER: AL629 PART NUMBER: AL549 PART NUMBER: AP2500

1.855.288.3587 • AUTEL.COM

	MAXICHECK MX900	MAXIDIAG MD808 PRO	AUTOLINK AL629	AUTOLINK AL549	AUTOLINK AL329
HARDWARE					
CONNECTION	Corded	Corded	Corded	Corded	Corded
SCREEN	8-Inch LED Color Screen	4-Inch LCD Color Screen	2.8-Inch LED Color Screen	2.8-Inch LCD Color Screen	TFT Color Display
MEMORY	4GB RAM / 64GB	32GB Micro SD Card	16GB Micro SD Card	-	-
PROCESSOR	1.8GHz Quad-core Processor	ARM® Thumb® Processor (400 MHz)	-	-	-
CAMERA	8 Megapixel	-	-	-	-
SOFTWARE					
OPERATING SYSTEM	Android 11	Push Button Navigation	Push Button Navigation	Push Button Navigation	Push Button Navigation
SOFTWARE UPDATES	1 Year Free	Free For Life of Tool	Free For Life of Tool	Free For Life of Tool	Free For Life of Tool
AUTOMATIC DETECTIONS	Auto-Vin / ScanVin	Auto-Vin	Auto-Vin	-	-
VEHICLE COVERAGE	US, Asian & European 1996 And Newer	US, Asian & European 1996 And Newer	US, Asian & European 1996 And Newer	US, Asian & European 1996 And Newer	US, Asian & European 1996 And Newer
OBDII TEST MODES	Perform Bi-Directional Active Tests And Special Functions	All 10 Test Modes, Live & Freeze Frame, Enhanced Mode 6	All 10 Test Modes, Live & Freeze Frame, Enhanced Mode 6	All 10 Test Modes, Live & Freeze Frame, Enhanced Mode 6	Live & Freeze Frame Data
DIAGNOSTICS	All Systems	All Systems	Engine/ABS/SRS/Transmission	Engine/ABS/Battery	Engine
SERVICES	40+ Service Features	7 Service Features	-	-	-

COMMERCIAL VEHICLE DIAGNOSTICS

SCAN TO VIEW ALL COMMERCIAL VEHICLE TOOLS



COMMERCIAL VEHICLE DIAGNOSTICS





MAXIFLASH VCI

MAXIFLASH ELITE

COMMERCIAL VEHICLE DIAGNOSTICS

MAXISYS MS909 CV

ADVANCED COMMERCIAL AND OFF-ROAD VEHICLE DIAGNOSTIC TABLET

A 9.7-inch wireless Android diagnostic tablet for light to heavy-duty vehicles, including off-road equipment. Featuring all-systems scanning, network topology, bi-directional controls, and live data graphing for Class 1-9 vehicles. Expert Mode provides direct access to OE systems like engine, transmission, and braking. The MS909CV supports dynamic and static ADAS calibrations (static requires purchasing of an Autel CV ADAS package) and includes the MaxiBAS B200, Deutsch 6 & 9 Pin set, Full Probe Set, and MaxiFlash VCI/J2534 programmer.

PART NUMBER: MS909CV

MAXISYS MS908 CVII

PROFESSIONAL COMMERCIAL VEHICLE DIAGNOSTICS TABLET

A 9.7-inch wireless diagnostic and service tablet for light, medium, and heavy-duty vehicles. It offers all-systems fault detection, code reading/erasing, live data viewing/graphing, and bidirectional control. The Android-based tablet features Expert Mode for direct analysis of vehicle systems, including engines, brakes, and transmissions. It offers an extensive menu of service and maintenance tasks, including DPF Regen, brake bleed, and oil light reset. Includes the MaxiFlash VCI and J2534 pass-thru device.

* Additional purchase of the VCI200 is required to access the latest protocols for light duty vehicles 2018 and newer.

PART NUMBER: MS908CVII

COMMERCIAL VEHICLE DIAGNOSTICS





MAXIVCI VCI200

COMMERCIAL VEHICLE DIAGNOSTICS

MAXIDIAG MD600 CV

HANDHELD CV DIAGNOSTICS AND SERVICE TABLET

A heavy-duty diagnostic tablet for Class 3 to 9 vehicles, designed for fleet technicians and operators. It offers advanced diagnostics and service tasks for systems like Engine, Exhaust, ABS, and DPF Regen. It includes a wireless MaxiVCI V200 that supports the latest CV vehicle protocols.

AUTOLINK AL529 HD

HEAVY DUTY VEHICLE ENGINE CODE READER

The AutoLINK AL529HD is a heavy-duty engine code reader for Class 1–9 vehicles (0–33,000 lbs). It reads/erases engine DTCs, supports J1939/J1708 protocols, and displays live/freeze frame data. It supports all 10 0BDII modes, one-click I/M readiness, and Mode 6 diagnostics. The AL529HD features a color screen and includes Deutsch 9/6-pin connectors, 0BDII cable, and PC updates.

PART NUMBER: MD600CV

PART NUMBER: AL529HD

EXPAND YOUR VEHICLE COVERAGE WITH CV ADAPTERS



CAT 9-PIN ADAPTER PART NUMBER: CAT9

CAT 14-PIN

ADAPTER
PART NUMBER:
CAT14



KOMATSU 12-PIN ADAPTER





VOLVO 8-PIN ADAPTER PART NUMBER: VOLVO8



PART NUMBER: VOLV014



BENZ14-PIN Adapter

PART NUMBER: BENZ14







PART NUMBER:



POWER LINE COMMUNICATIONS

PART NUMBER: TRAILERPLC

	MAXISYS MS909 CV	MAXISYS MS908 CVII	MAXIDIAG MD600 CV	AUTOLINK AL529 HD	
HARDWARE					
CONNECTION	J2534 MaxiVCI VCI200 Wireless Bluetooth	J2534 MaxiVCI VCI200 Wireless Bluetooth	Bluetooth MaxiVCI VCI200	Corded	
SCREEN	9.7-Inch Color Touchscreen	9.7-Inch Color Touchscreen	5.5-Inch Display	2.8-Inch LED Color Screen	
MEMORY	128GB SSD / 4GB RAM	128GB SSD / 4GB RAM	64GB SSD	16GB Micro SD Card Included	
PROCESSOR	2.2GHz + 1.8GHz OCTA-CORE	2.2GHz + 1.8GHz OCTA-CORE	1.5GHz Quad-Core	-	
CAMERA	16MP & 5.0MP Front & Rear with Flashlight	16MP & 5.0MP Front & Rear with Flashlight	8.0 MP	-	
SOFTWARE					
OPERATING SYSTEM	Android 10.0	Android 10.0	Android 9	Push Button Navigation	
SOFTWARE UPDATES	1 Year Free	1 Year Free	1 Year Free	Free For Life Of Tool	
AUTOMATIC DETECTIONS	Auto-Vin / ScanVin	Auto-Vin / ScanVin	Auto-Vin	Auto-Vin / ScanVin	
SECURE GATEWAY ACCESS	Access Stellantis (Jeep, RAM, Chrysler, Alfa Romeo, Maserati, Fiat), Secure Gateway with AutoAuth Account	Access Stellantis (Jeep, RAM, Chrysler, Alfa Romeo, Maserati, Fiat), Secure Gateway with AutoAuth Account	Access Stellantis (Jeep, RAM, Chrysler, Alfa Romeo, Maserati, Fiat), Secure Gateway with AutoAuth Account	-	
VEHICLE COVERAGE	Class 3 - Class 9 10,000lbs - 33,000lbs	Class 3 - Class 9 10,000lbs - 33,000lbs	Class 3 - Class 9 10,000lbs - 33,000lbs	Class 1 - Class 9	
OBDII TEST MODES	All 10 Test Modes Live and Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live and Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live and Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live and Freeze Frame / Enhanced Mode 6	
SERVICE MENU	36+ Service Features	36+ Service Features	36+ Service Features	36+ Service Features	
DIESEL PM	Class 1-9 Reset Diesel Emissions	Class 1-9 Reset Diesel Emissions	Class 1-9 Reset Diesel Emissions	-	
SYSTEM DIAGNOSTICS	All Systems and Expert Mode (Direct System Access)	All Systems and Expert Mode (Direct System Access)	All Systems and Expert Mode (Direct System Access)	Engine Codes	
COMPONENT ACTIVATIONS	1,000+ Bi-Directional Controls DPF Regen / Injector Coding	1,000+ Bi-Directional Controls DPF Regen / Injector Coding	-	-	
ENHANCED FUNCTIONS	Coding and Adaptations	Coding and Adaptations	-	-	
ADAS CALIBRATION	Dynamic and Static Calibration Software Included (Frame System Sold Separately)	-	-	-	
BATTERY ANALYSIS	MaxiBAS Software with multimeter AMP Clamps, B200, and Terminal Clamps	-	-	-	
OFF-HIGHWAY & AGRICULTURAL MACHINERY	Supports 60+ Brands Including Caterpillar, John Deere, Hitachi, Kobelco, And More.				



ADAS CALIBRATION & WHEEL ALIGNMENT



SCAN TO VIEW ALL ADAS & ALIGNMENT TOOLS





ADAS & ALIGNMENT IN-SHOP SOLUTION MECHANICAL COLLISION REPAIR REPAIR ADAS CALIBRATION WHFFI & TIRE AUTOMOTIVE DEALERSHIPS CENTERS DEALERS. MAXISYS MSIII TRA DIAGNOSTIC TABLET

MAXISYS IA900 ADVANCED ADAS SYSTEM

WHEEL ALIGNMENT + ADAS CALIBRATION

Featuring a 24-inch touchscreen that displays illustrated instructions, live readings, required tools, and adjustment locations. The system features six high-resolution cameras for automatic height monitoring and robotic frame movement for precise alignments to 0.02 degrees, optical positioning of calibration frame to the vehicle for quicker and more accurate calibration setup, and to offer unlevel floor compensation, enabling the unit to adjust for precise calibrations no matter shop flooring. Systems offer comprehensive diagnostic, repair, service, and reporting capabilities powered by the Autel MaxiSYS Ultra, MS919, and MS909 tablets (purchased separately or included with system packages). Aligner-only, Aligner with Lane Departure Warning (LDW) calibration packages with targets and patterns and All Systems ADAS calibration with a camera, radar, lidar, and around-view monitoring packages. LDW and All Systems pattern and calibrator upgrade packages are also available.

INCLUDED ACCESSORIES





ADAS & ALIGNMENT







REPAIR

MAXISYS MS909 DIAGNOSTIC TABLET





REPAIR

)DULAR ADVANCED ADAS SYSTEM

ALIGNMENT PRE-CHECK + ADAS CALIBRATION

MAXISYS IA700

A modular ADAS calibration system with a robotic crossbar and six high-resolution cameras providing alignment precheck, optical positioning calibration setup, an unlevel floor compensation industry-leading vehicle, and all systems ADAS calibrations. Offered in frame-only, Lane Departure Warning (LDW), and All-Systems ADAS calibrations packages. Compatible with MA600 and IA900 targets, it enhances the speed and accuracy of optical positioning for MA600 users and doubles calibration capacity for IA900 users without extra targets. The frame disassembles for easy transport and storage and includes tire clamps with camera targets, a steering wheel lock, brake chocks, a power supply, an alignment aid, and a frame cover. Systems offer comprehensive diagnostic, repair, service, and reporting capabilities powered by the Autel MaxiSYS Ultra, MS919, and MS909 tablets (purchased separately or included with system packages).

ADAS CALIBRATION WHEEL & TIRE CALIBRATION CENTERS DEALERS.

INCLUDED ACCESSORIES







TIRE CLAMPS 4X

DISTANCE TARGET 1X

WHEEL TARGET 4X



STEERING WHEEL LOCK 1X

BRAKE LOCK 1X

FRAME COVER 1X

Compact Design For Storage

Disassembles For Travel



ADAS & ALIGNMENT







REPAIR



MAXISYS MS909 DIAGNOSTIC TABLET

ALITOMOTIVE DEALERSHIPS

MAXISYS IA800

ALIGNMENT PRE-CHECK + ADAS CALIBRATION

The MaxiSYS IA800 ADAS Calibration system features optical positioning for quick and precise frame-to-vehicle placement. Offered in Lane Departure Warning (LDW) and All Systems ADAS calibration packages. The system requires an Ultra series tablet with ADAS calibration software.

INCLUDED ACCESSORIES









AVAILABLE PACKAGES

IA800 LDW PART NUMBER: LDW30

Frame + Accessories + LDW Targets

IA800 LDW + TABLET PART NUMBER: LDW30T

Frame + Accessories + LDW Targets + MS909 Tablet

IA800 ALL SYSTEMS PART NUMBER: AS30

Frame + Accessories + All System Targets

IA800 ALL SYSTEMS + TABLET PART NUMBER: AS30T

Frame + Accessories + All System Targets + MS909 Tablet

97% OF FORWARD FACING CALIBRATIONS IN A 16' x 30' REPAIR BAY SCAN OR VISIT: AUTEL.CC/SHOPSPACE



ADAS & ALIGNMENT





MAXISYS MS909

DIAGNOSTIC TABLET



ADAS SYSTFM

PORTABLE ADAS

INCLUDED ACCESSORIES









LASER 1X

LASER 1X

L BRACKET









Mounting Plate 1X *Available With All System Packages Only.

MAXISYS MAGOO

A collapsible aluminum calibration frame with 2-line and 5-line centering and aligning lasers and laser-assisted reflectors for mechanical frame-to-vehicle placement. Available in Lane Departure Warning (LDW), and All-Systems ADAS calibrations packages and upgrade kits. Compatible with MaxiSYS MS909 and higher tablets with ADAS calibration software upgrade.



DIGITAL TAPE MEASURE 1X

PLUMB LINE 1X



LASER ASSISTED REFLECTOR 1X

LASER REFLECTIVE BOARD 1X

AVAILABLE PACKAGES

MAGOO STORAGE BAGS

MA600 LDW PART NUMBER: MA60020 Frame + Accessories + LDW Targets

AUTEL

MA600 LDW + TABLET PART NUMBER: MA60020T Frame + Accessories + LDW Targets + MS909 Tablet

PART NUMBER: MA600CASE

MA600 ALL SYSTEMS PART NUMBER: MAS20

Frame + Accessories + All System Targets

MA600 ALL SYSTEMS + TABLET PART NUMBER: MAS20T

Frame + Accessories + All System Targets + MS909 Tablet

ADAS SETUP & REVERSE LOOKUP GUIDE SCAN OR VISIT: AUTEL.CC/ADAS-GUIDE



CHOOSING THE RIGHT ADAS SYSTEM & PACKAGE

STEP 1. CHOOSE A BASE AUTEL ADAS SYSTEM

Examine the top features and capabilities of each system carefully. Choose the Autel System that best aligns with your business requirements and goals.





TOP FEATURES	IA900	1A700	1A800	MAG00
Mobile ADAS System		✓		✓
In-Shop ADAS System	✓	✓	✓	
Wheel Alignment Pre-Check	✓	✓	✓	
Full Wheel Alignment	✓			
Mechanical Measurements for Target Placement				✓
Fully Optical Target Placement for Increased Accuracy and Faster Setups	✓	✓	✓	
Unlevel Floor Compensation to Eliminate Uneven Floors as an Obstacle	✓	✓		

CHOOSING THE RIGHT ADAS SYSTEM & PACKAGE

STEP 2. CHOOSE AN AUTEL ADAS SYSTEM PACKAGE Align the capabilities and opportunities of Lane Departure Warning (LDW) versus All Systems (AS) ADAS with your shop environment and business goals. Choose the Autel System Package that best fits your needs.

	1A900	IA700	10800	MAG00	
LANE DEPARTURE WARNING (LDW) ADAS PACKAGES	COMMON LDI ADAS Calibration for Glass Repair	W APPLICATION / LDW Calibrations with a 16' x 30' Repair Ba	thin / Scalable Platf	orm: Add	
Part Number - Including Tablet	IA900LDWT	IA700LDWT	LDW30T	MA60020T	
Part Number - No Tablet	IA900LDW	IA700LDW	LDW30	MA60020	
ALL SYSTEMS (AS) ADAS PACKAGES					
Part Number - Including Tablet	IA900AST	IA700AST	AS30T	MAS20T	
Part Number - No Tablet	IA900AS	IA700AS	AS30	MAS20	

VEHICLE LIFTS

SCAN TO VIEW ALL VEHICLE LIFTS





VEHICLE LIFTS



ADAS BAY MAX LIFT

The ADAS Bay Max is a purposefully built flush-mount scissor car lift, engineered to perform mechanical repair, wheel alignment, and 360 ADAS calibration in a single standard alignment bay space.

The heavy-duty rolling jack beam, and the industry's first flush-mount H Shape and table riser configuration allow for safer and more efficient wheel alignments, and when recessed into the floor the same space becomes a flat 360-degree ADAS calibration environment.

Compatible with passenger cars and light trucks, this premium hydraulic lift is available in 12,000 and 14,000-pound capacity versions, both with front and rear opening runways, flip-down wheel stops, and low angle approach ramps for easier access. The ADAS Bay Max also features stainless steel front radius plates and rear slip plates and turn plate pocket protectors for more effective paint protection.

The Autel ADAS Bay Max is Made in North America and ALI Certified and includes a one-year limited warranty on lift parts, five-year warranty on hydraulic jack parts, one-year warranty on lift table parts and hydraulic components, 90-days on front turn plates, rear slip plate and bearings, and air kit and LED lighting kits.

PART NUMBER: AULS12ALOR1T / AULS14ALOR1T



MECHANICAL REPAIR



WHEEL ALIGNMENT



ALL SYSTEMS ADAS CALIBRATION

ALL SYSTEMS ADAS CALIBRATION. SAFER ALIGNMENTS. ONE MAXIMIZED BAY.







The innovative table riser, rolling jacking beams, stainless steel radius plates, runway air inflation, and LED undercarriage lighting are all standard.

DRIVE ON/OFF IN ANY DIRECTION

Front and rear open runways paired with the unique flush-mount H shape configuration increases floor space, allowing for all systems ADAS calibration.

SAFER REPAIRS & ALIGNMENTS

The flush-mount, H shape, and table riser allow for safer and more efficient repairs and wheel alignments by eliminating the obstructions of a 4-post lift or the tripping hazards of a recessed pit.









97% OF FORWARD-FACING CALIBRATIONS **88%** OF ALL ADAS CALIBRATIONS

IN A STANDARD 16'X 32' REPAIR BAY

VEHICLE LIFTS



ALIGNMENT SCISSOR LIFT

The Autel Alignment Scissor Lift is a surface-mounted hydraulic car lift compatible with passenger cars and light trucks and is available in 12,000 and 14,000-pound capacity versions.

Low angle approach ramps are included for easier access. The Autel Alignment Scissor Lift features stainless steel front radius plates and rear slip plates and turn plate pocket protectors for more effective paint protection.

Built-in runway air tire inflation kits at each wheel, shatterproof undercarriage LED lighting with automatic shut off, and an enclosed console power control unit are also standard.

The Autel Alignment Scissor Lift is Made in North America and ALI Certified and includes a one-year limited warranty on lift parts, five-year warranty on hydraulic jack parts, one-year warranty on lift table parts and hydraulic compronents, 90-days on front turn plates, rear slip plate and bearings, and air kit and LED lighting kits.

PART NUMBER: AULS12ALOR1 / AULS14ALOR1

	ANAS RAY MAX LIFT 14K	ANAS RAY MAX LIFT 12K	ALIGNMENT SCISSUR LIFT 14K	ALIGNMENT SCISSOR LIFT 12K
HARDWARE				
CAPACITY	14,000 lbs / 6.4T	12,000 lbs / 5.4T	14,000 lbs / 6.4T	12,000 lbs / 5.4T
OVERALL LENGTH	260-3/4" / 6623mm	242-3/4" / 6166mm	260-3/4" / 6623mm	242-3/4" / 6166mm
DECK LENGTH	203" / 5156mm	185" / 4700mm	203" / 5156mm	185" / 4700mm
MAXIMUM 4 WHEEL ALIGNMENT WHEELBASE	164-1/2" / 4178mm	160" / 4064mm	164-1/2" / 4178mm	160" / 4064mm
MAXIMUM 2 WHEEL ALIGNMENT WHEELBASE	178" / 4521mm	160" / 4064mm	178" / 4521mm	160" / 4064mm
MAXIMUM SERVICE WHEELBASE	185" / 4699mm	167" / 4242mm	185" / 4699mm	167" / 4242mm

ADAO DAV BAAV LIFT 10V

5,890 lb. / 2.7T



ADAO DAV BAAV LIFT 4 / II

6,230 lbs. / 2.8T

SHIPPING WEIGHT

ADDITIONAL FEATURES:

- Overall Width: 91-1/2" / 2324mm
- · Width Between Runways: 41" / 1041mm
- Deck Width: 23" / 584 mm
- · Lowered Height: 10-3/4" / 273mm
- Raised Height: 74" / 1880 mm
- Min 4 Wheel Alignment Wheelbase: 84" / 2234mm
- · Lift Time: 58 Seconds
- Power Requirements: 230 Volts AC 60 Hz 1 PH 25amp

5,890 lb. / 2.7T

ALIGNMACHT COLOCOD LIFT 40V

MAXIMIZE EFFICIENCY & INCREASE REVENUE POTENTIAL

ALIGNMATHT COLOCOD LIFT 4 / I/

6,230 lbs. / 2.8T

When paired with the single system Autel IA900 Wheel Alignment and ADAS Frame, nearly all ADAS calibrations including highly profitable Lane Departure Warning and Blind Spot Detection can be performed by repositioning the vehicle within the repair bay.

TPMS SERVICE

SCAN TO VIEW ALL TPMS SERVICE TOOLS





TPMS SERVICE









MAXIVCI VCI150

MAXIVCI VCI200

A TPMS SERVICE & DIAGNOSTICS

MAXITPMS TS900

3-IN-1 TPMS, DIAGNOSTICS, AND SERVICE TABLET

An 8-inch wireless touchscreen tablet offering TPMS, diagnostics, and service functions. It activates, reads, and relearns all TPMS sensors, including Tesla OE and Autel BLE sensors, and programs the Autel 1-Sensor. It provides basic diagnostics like reading/clearing codes, Freeze Frame, and Live Data, and advanced features like Active Tests and Special Functions. The tablet supports over 40 service functions, including oil reset and brake bleed.

PART NUMBER: TS900

MAXITPMS ITS600/600 PRO

HANDHELD TPMS SERVICE TABLET

A wireless, Android-based 5.5-inch tablet offering complete TPMS diagnostics and four service functions. Featuring an enhanced TPMS status screen, activates and relearns all TPMS sensors, and programs MX-Sensor 1-Sensors to replace 99% of OE sensors. Supports DOT scanning for recall lookup and tire registration (CIMS account required).

Upgrade to the Pro version for all-systems and service diagnostics. Pair with the TBE200 tool for tire wear measurement and detailed customer reports.

PART NUMBER: ITS600 - ITS600 / ITS600PRO - 700150

MAXITPMS TS508 WF

SPECIALIZED TPMS SERVICE TOOL

A rugged handheld TPMS service tool that offers complete TPMS service capabilities. Use the TSS08WF to read, activate, and relearn all known TPMS and program MX-Sensor 1-Sensors to replace 99% of OE TPMS sensors. Displays OE-specific relearn instructions and performs OBDII relearn on supported vehicles. Features color-coded at-a-glance TPMS status for next-step service guidance. The unit supports tire-size value (placard) reset on supported vehicles. Free TPMS software coverage updates for the life of the tool; easily updated via Wi-Fi.

PART NUMBER: 700010

	MAXIIPMS 15900	MAXIIPMS IIS6UU PKU	MAXIIPMS IIS6UU	AM ROGSI SMAIIKAM
HARDWARE				
CONNECTION	MaxiVCI VCI150	Bluetooth MaxiVCI VCI200	Bluetooth MaxiVCI VCI200	Corded
SCREEN	8-Inch LCD Touchscreen	5.5-Inch LED Color Touchscreen	5.5-Inch LED Color Touchscreen	2.3" Color Display
BATTERY	3.7V / 7700mAh Lithium-Polymer Battery	5,000 mAh	5,000 mAh	3,200 mAh
PROCESSOR	1.8GHz Quad-core	1.5GHz Quad-core	1.5GHz Quad-core	-
OFTWARE				
OPERATING SYSTEM	Android 11	Android 9.0	Android 9.0	-
SOFTWARE UPDATES	1 Year Free	1 Year Free	Free For Life of Tool	Free For Life of Tool
AUTOMATIC DETECTION	Auto-Vin / Scan Vin / Plate Scan	Auto-Vin / Scan Vin / Plate Scan	Auto-Vin / Scan Vin / Plate Scan	-
SERVICE MENU	40+ Service Functions	36+ Service Functions	4 Service Functions (OLS / EBS / SAS / BMS)	-
DIAGNOSTICS	All Systems Diagnostics All Modules In All Systems	Essential Diagnostics All Modules In All Systems	TPMS-Only	TPMS-Only
PMS SERVICES				
TPMS DIAGNOSTICS	Enhanced TPMS Status Screen	Enhanced TPMS Status Screen	Enhanced TPMS Status Screen	TPMS Status Screen
READ/ACTIVATE/RELEARN	All Known Sensor Brands Plus Tesla OE and Autel BLE Sensors	All Known Sensor Brands Plus Tesla OE and Autel BLE Sensors	All Known Sensor Brands Plus Tesla OE and Autel BLE Sensors	All Known Sensor Brands
PROGRAMMING METHODS	2 Methods MX-Sensors Only	2 Methods MX-Sensors Only	2 Methods MX-Sensors Only	-
RELEARN PROCEDURES	Display OE-Specific Instructions & Industry Leading OBDII Relearn Coverage	Display OE-Specific Instructions & Industry Leading OBDII Relearn Coverage	Display OE-Specific Instructions & Industry Leading OBDII Relearn Coverage	2 TPMS Service Modes
PRINT SENSOR DATA	Wireless Printing	Wireless Printing	Wireless Printing	Wi-Fi to PC

Remote Access & Data Logging

MAAVITDMO ITOCOO DDO

MAAVITDRAG ITGCGG

Remote Access & Data Logging

MANUTOMO TOROG WE



REMOTE SUPPORT

MAXISYS MS906 PRO-TS

Remote Access & Data Logging

BAAVITDBAO TOOOO

COMPREHENSIVE TPMS SERVICING AND PROGRAMMING COMBINED WITH PROFESSIONAL DIAGNOSTIC CAPABILITIES

Additional diagnostics functions available on Page 8.

TPMS SERVICE

TPMS SENSORS





Tread wear analysis: In good condition.
Maintenance
suggestion: The tire
is in good condition. I
can be driven about X
kilometers more.
Please check it on a
regular basis.







MAXITPMS TBE200

LASER-ENABLED TIRE TREAD DEPTH EXAMINER

A laser-enabled tire tread depth and brake disc wear examiner that delivers fast, accurate measurements of tire tread wear. Easy measure brake disc wear without removing tires. The 1.65" AMOLED Super Retina touchscreen displays wear, service recommendations, and alignment suggestions. It features a 4MP macro camera and 8MP zoomable camera to document tire wear and damage and scan Tire Identification Numbers (TIN). Use standalone or pair with an Autel MaxiTPMS ITS600 tablet for detailed reports.

MX-SENSOR BLE

PRE-PROGRAMMED, TESLA-READY BLUETOOTH SENSORS

A pre-programmed Bluetooth Low Energy sensor designed for Tesla 3/Y/S/X models with "fit & go" capability. The MX-Sensor BLE features excellent battery life and is suitable for extreme weather and temperature.

MX-SENSOR 1-SENSOR

PROGRAMMABLE UNIVERSAL TPMS SENSOR WITH PRESS-RELEASE VALVE STEMS

A dual-frequency (315MHz and 433MHz) programmable universal TPMS sensor in rubber and metal valve stems. Use any Autel TPMS tool to program the 1-Sensor to replace 99% of 0E TPMS sensors. Tested to meet SAE standards J1205 and J1206. Multiple quantity package configurations of press-release rubber and metal valve stems are available. The press and release valve is an attachment system that requires no torque tool or screw for tire valve installation to the TPMS sensor.

PART NUMBER: TBE200

PART NUMBER: 300100

PART NUMBER: 1-SENSOR / 1-SENSORM

MX-SENSOR BUNDLES



ADJUSTABLE ANGLE MX-SENSOR 1-SENSOR

PROGRAMMABLE TPMS SENSOR WITH SCREW-IN VALVE STEMS

The dual-frequency, universal programmable TPMS sensor in an adjustable angle rubber or metal valve stem allowing for rim installation at a 15-degree to 30-degree angle, enabling a perfect sensor fit no matter the wheel and rim configuration. Program with any Autel TPMS to replace 99 % of OE sensors. Replacement packs of screw-in rubber and metal stems are available.

PART NUMBER: RUBBER - 300020 / METAL - 300030

1-SFNSOR 8-DACK

PART NUMBER: 300040



1-SENSOR 20-PACK

AVAILABLE IN METAL OR RUBBER STEM
PART NUMBER: METAL - 300060 / RUBBER-300010



1-SENSOR 240-PACK

PART NUMBER: 300050

TPMS ACCESSORIES



BLACK ALUMINUM VALVE STEM



TITAN GREY ALUMINUM VALVE STEM

PART NUMBER: CV-002



CHROME ALUMINUM VALVE STEM

PART NUMBER: CV-001



TPMS PLACARD VALUE STICKER

PART NUMBER: PVS100

KEY PROGRAMMING

SCAN TO VIEW ALL KEY PROGRAMMING TOOLS





KEY PROGRAMMING

Autel key programming and IMMO products are designed for professional locksmiths and NASTF-registered Vehicle Security Professionals. Please ensure you meet local licensing requirements before purchasing.







■ XP400PRO KEY & CHIP PROGRAMMER

-

■ MAXIFLASH XP200

MAXIVCI VCI200

AKEY PROGRAMMING

MAXIIM IM608 PROIIKPA

ADVANCED IMMO AND KEY PROGRAMMING TABLET

A 10.1-inch touchscreen Android-based tablet offering comprehensive IMMO and key programming functionality for U.S., Asian, and European vehicles. Use the IM608PROII to program Autel IKEY smart keys. Ships with XP400Pro key and chip programmer, and wireless JVCI communication and J2534 pass-thru device. IM608PROII offers advanced diagnostics for all systems scanning, Active Tests, Special Functions, coding, and adaptations. Purchase IM608PROIIKPA bundle with tablet, XP400PRO, JVCI, and Key Programming Adapter Kit.

MAXIIM IM508S

IMMO AND KEY PROGRAMMING TABLET

An Android-based touchscreen diagnostic, service, and key programming tablet. This 7-inch Wi-Fi tablet includes the XP200 key programmer and offers immobilizer and key programming capability for most U.S. and Asian vehicles. Use the IM508S to program Autel IKEYs smart keys. (XP400 or XP400PRO may be required for some vehicle makes or models) The IM508S, an all-systems code reader and service tool, offers powerful IMM0 functionality, including backup, restore, adaptations and coding, key generation, and key learning.

MAXIIM KM100

KEY PROGRAMMING TABLET + 2 PROGRAMMABLE IKEYS

The MaxilM KM100 is a 5.5-inch Android-based touchscreen tablet for key and immobilizer programming. Ships with Bluetooth-enabled MaxiVCI V200. Use the KM100 to program Autel IKEY smart keys to smart key replacement of over 3,000 vehicles. Tablet supports key renewal and transponder editing for 20 protocols.

PART NUMBER: IM608PROIIKPA

PART NUMBER: IM508S

PART NUMBER: KM100

HARDWARE				
SCREEN	10.1-inch Screen	7-inch Screen	5.5-inch Screen	
CONNECTION	MaxiFlash JVCI	Corded	MaxiVCI VCI200	
BATTERY	15,000 mAh	5,000 mAh	4950mAh Lithium-polymer Battery	
MEMORY	64GB SSD / 2GB RAM	32GB SSD / 1GB RAM	2GB RAM/64GB On-board Memory	
PROCESSOR	1.7GHz Hexa-Core	1.7GHz Hexa-Core	Rockchip PX30 (4x ARM Cortex-A35 1.5GHz)	
XP400PRO / XP200 / VCI	XP400Pro Key and Chip Programmer	XP200	VCI200	
JVCI WIRELESS J2534 PASS THRU	Included	-	-	
IMPKA KEY PROGRAMMING ADAPTER KIT	Included	-	-	
SOFTWARE				
OPERATING SYSTEM	Android 10	Android 11	Android 9.0	
UNIVERSAL TRANSPONDER AND KEY GENERATION	-	-	Included	
TRANSPONDER SIMULATION, EDITING, AND CLONING	-	-	Included	
IGNITION COIL DETECTION	-	-	Included	
VEHICLE DIAGNOSTICS	Included	Included	-	
VEHICLE SERVICE FUNCTIONS	Included	Included	-	
IMMO FUNCTION VIA PROGRAMMER	Included	Included	-	

ADDITIONAL FEATURES:

• Transponder Reading

• Immobilizer Data Processing

• Frequency Detection

• IMMO in Open OBD Mode

• Key Unlocking

KEY PROGRAMMING



TOP 10 SELLING IKEY BUNDLE



RA70R IKFY

PROGRAMMABLE SMART KEY

BMW-style IKEY with Lock, Unlock, and Trunk functions. Program with any Autel IMMO and Key Programming tablet. XP400 or XP400PRO may be required for some vehicle makes or models. Includes BMW-type Emergency Blade. Compatible with 315/415 MHz frequency systems, with a transmission range of up to 40 meters/130 feet. Requires a CR2032 battery (not included).



PROGRAMMABLE SMART KEY

Premium IKEYs are programmable vehicle brand-styled replacement smart keys. IKEY smart keys are available for multiple brands in comparable button configurations. Program with any Autel IMMO and Key Programming tablet. XP400 or XP400PRO may be required for some vehicle makes or models. Compatible with 315M/433M frequency systems. Requires a CR2032 battery (not included). Emergency Blade included.



STANDARD IKEY

PROGRAMMABLE SMART KEY

A universal programmable smart key for over 3,000 vehicles. IKEY smart keys are programmable for multiple vehicle brands in two to seven-button configurations. Program with any Autel IMMO and Key Programming tablet. XP400 or XP400PRO may be required for some vehicle makes or models. Compatible with 315M/433M frequency systems. Requires a CR2032 battery (not included).

SCAN HERE TO SEE THE FULL LINE OF AUTEL SMART KEYS ▶



KEY PROGRAMMING

Autel key programming and IMMO products are designed for professional locksmiths and NASTF-registered Vehicle Security Professionals. Please ensure you meet local licensing requirements before purchasing.









MAXIIM XP400 PRO

The XP400Pro key and chip programmer, compatible with the IM508 and IM608 tablet lines, can read, write, and learn keys, programs infrared keys for Mercedes-Benz and IC Chip keys for late-model Hyundai and KIA vehicles. The XP400Pro also performs EEPROM-data functions needed for European vehicles and supports Data Read/Write of 3,000 Plus Chip Types (inc. EEPROM, engine ECU, MCU, IMMO ECU). Unit required for IKEY programming for some vehicle makes and models.

MAXIIM KEY PROGRAMMING ADAPTER KIT

Designed for use with the XP400Pro Key & Chip Programmer, this kit includes 12 adapters for reading, writing, and erasing data. Supporting Mercedes-Benz ESL/W209/W906, NEC Key Learning, BMW EWS3, and Volkswagen, Audi, BMW, and Benz key unlock. Compatible with IM608 and IM508 tablet lines when paired with XP400PRO.

MAXIIM APB131 Anapter

READ & ADD KEYS ON SELECT VEHICLES

The MaxilM APB131 Adapter works with Autel MaxilM IM608 and IM508 tablet lines, using the XP400 or XP400 Pro to add keys on select VW/Audi and Nissan models. Adapter supports key addition for VW Golf (2013-2021), Jetta (2018-2021), Passat (2015-2021), Tiguan (2018-2021), Touareg (2010-2018); Audi A3 (2021), A4 (2008-2016), A5 (2008-2016), A8 (2010), Q5 (2009-2017); and Nissan Sentra B18 (2022), Rogue T33 (2021), Juke F16 (2012+), Pathfinder RS3 (2022-2023).

MAXIIM G-BOX3 KEY PROGRAMMING ADAPTER

ADAPTER FOR MERCEDES-BENZ AND BMW VEHICLE PROGRAMMING

The G-BOX3 adapter works with Autel MaxilM IM608 and IM508 tablet lines (using the XP400Pro programmer) to program keys for Mercedes-Benz DAS3 CAN EIS/EXS vehicles in All Keys Lost scenarios. This adapter supports DME/DDE ISN reading and writing in Boot Mode for select-BMW vehicles.

PART NUMBER: XP400PRO

PART NUMBER: IMKPA

PART NUMBER: APB131

PART NUMBER: G-BOX3

BATTERY SERVICE

SCAN TO VIEW ALL BATTERY SERVICE TOOLS



BATTERY SERVICE









FREE SMARTPHONE APP Google Play





BUJILT-IN THERMAL PRINTER

BATTERY TESTING AND ANALYSIS

MAXIBAS BT609

BATTERY, DIAGNOSTICS AND SERVICE TABLET

A 7-inch Android-based touchscreen tablet with comprehensive battery, starter, and charging system testing capabilities that displays battery State of Charge (SoC) and State of Health (SoH), registers new batteries, plus performs all-systems diagnostics, and service functions. Supports in-vehicle and out-of-vehicle testing of 6- and 12-volt batteries of 100 - 3000 CCA and both 12-and 24-volt starting/charging systems. Uses Adaptive Conductance technology to reduce battery misdiagnosis, diagnose low-capacity batteries, and reduce the need to charge and retest for discharged batteries. Unit ships with MaxiVCI VCI200 and MaxiBAS BT200 device with battery clamp cable.

PART NUMBER: BT609

MAXIBAS BT608

DEDICATED BATTERY TESTER AND SERVICE TOOL

A handheld, 5.5-inch touchscreen wireless comprehensive battery and electrical system diagnostics tablet featuring Adaptive Conductance technology to identify low-capacity batteries and reduce battery misdiagnosis. Supports in-vehicle and out-of-vehicle testing of 6- and 12-volt batteries of 100 - 3000 CCA and both 12-and 24-volt starting and charging systems. Performs quick battery health status and automatic battery registration and features advanced AutoVIN and ScanVIN functionality for quick vehicle identification and battery specifications. Tool features shop manager application and a built-in thermal printer. Unit ships with MaxiVCI VCI200 and MaxiBAS BT200 unit with battery clamp cable.

PART NUMBER: BT608

BATTERY TESTING AND ANALYSIS

The BT506 is a Battery and Electrical System Analysis tool and App. compatible with Android and iOS devices. Supports in-vehicle and out-of-vehicle testing of 6- and 12-volt batteries of 100 - 3000 CCA and both 12-and 24-volt starting/charging systems. Uses Adaptive Conductance for precise evaluation of cold cranking and reserve capacity. Ships with Bluetooth battery testing device with battery clamp cable. Pairs with Autel tablets with Battery Tester app for direct battery testing capability.

PART NUMBER: BT506

HARDWARE				
SCREEN	7-Inch Touchscreen	5.5-Inch Touchscreen	-	
BATTERY	6,000 mAh 6H	3,000 mAh 6H	-	
MEMORY	32GB SSD / 2GB RAM	32GB SSD / 2GB RAM	-	
PROCESSOR	1.5 GHz Cortex	1.5 GHz Cortex-A35 Quad-Core		
CAMERA	8.0	-		
SOFTWARE	•			
OPERATING SYSTEM	Andro	-		
CCA RANGE	100-30	100-2000 CCA		
TEMPERATURE COMPENSATION	Incl	-		
BATTERY REGISTRATION	53 Vehic	-		
ELECTRICAL TEST	Incl	-		
SYSTEM DETECTION	Autovin, Vinso	-		
BATTERY HEALTH REPORT	Incl	-		
BUILT-IN PRINTER	-	Included	-	
EMAIL REPORT	Incl	-		
DIAGNOSTICS	·			
ALL SYSTEM WITH AUTOSCAN	Included	Included	-	
ALL MAINTENANCE RESETS	Included	_	_	

ADDITIONAL FEATURES:

- · Supports Flooded, AGM, AGM Spiral, EFB, GEL battery types
- CCA, CA, MCA, JIS, DIN, SAE, IEC, EN, EN2, BCI, GB Ratings
- Supports 6V & 12V Batteries in 12V and 24V Systems
- Works with 1.5 36V Voltage Range
- Features Battery Location Diagrams
- Supports Autel Cloud Based Services





Scan or visit autel.cc/batteryservice to see how 5-minute battery and all-system health checks can improve your bottom line.

BATTERY SERVICE ACCESSORIES







OBDII EXTENSION CABLE

The VCIEXTCAB is a 37-inch long OBDII extension cable compatible with all OBDII-compliant VCIs. Recommended for use with MaxiVCI VCI200 for quick use and retrieval.

BATTERY TESTER MEMORY SAVER

The Autel OBDII Memory Saver is a polarity-protected cable that connects to a 12-volt backup battery to supply power through the OBDII port, preserving vehicle data and avoiding re-coding systems when the main battery is disconnected. It includes surge protection and three LEDs to indicate power supply status.

BATTERY TESTER ACCESSORY KIT

Battery Tester Accessory Kit includes the DM100 Digital Multimeter, 400A Current Clamp, and essential probes and leads. Compatible with MaxiBAS BT608 and BT609 tools, the BTAK assists in troubleshooting vehicle electrical systems. Features a 400A Current Clamp with a measurement range of 20mA to 400A AC/DC.

PART NUMBER: VCIEXTCAB

PART NUMBER: BTMS

PART NUMBER: BTAK

S P E C I A L T Y T O O L S







SPECIALTY TOOLS







DIGITAL INSPECTION VIDEOSCOPE

The MaxiVideo MV480 is a dual-camera digital videoscope with a semi-rigid 39.4-inch cable and 10-level adjustable LED light. It features a 2-megapixel camera that captures high-resolution (1920 x 1080) stills and videos, with a 4.1-inch 1200×720 LCD display. The 8.5mm probe includes front and side cameras, viewable independently or together. Additional features include audio annotation, a bright LED flashlight, and a built-in 2600 mAh battery for up to 4 hours of use.



Front Camera & LED Light

MAXIVIDEO MV460

DIGITAL INSPECTION VIDEOSCOPE

The MaxiVideo MV460 is a digital video scope with a semi-rigid 39.4-inch cable, 10-level adjustable LED light, and a 70-degree field of view. It features a 2-megapixel camera for capturing high-resolution (1920 x 1080) stills and videos, with one-button quick image capture and video recording. The handheld unit includes a 3.5-inch 640×480 full-color LCD display and an 8.5mm camera probe. It is powered by a built-in 2600 mAh battery, offering up to 4 hours of continuous use.



OSCILLOSCOPE ACCESSORY KIT

The MSOAK, compatible with the MaxiFlash VCMI, is included with the MSUltra and MS919 tablets. Kit consists of the 65A AC/DC Current Clamp, 650A AC/DC Current Clamp, Coil- On Plug Probe, HT Extension Lead (2pcs) and Battery Clip (2pcs), within a blow-molded carrying case.

PART NUMBER: MV480 PART NUMBER: MV460 PART NUMBER: MSOAK

1.855.288.3587 • AUTEL.COM

SPECIALTY TOOLS





MAXIVIDEO MV108S

8.5MM DIGITAL INSPECTION CAMERA

The MV108S digital inspection camera is designed to work with Autel diagnostic tablets. The MV108S features a 8.5mm camera head, 2 mega-pixel camera providing 1920×1080, LED illumination, and a 1-meter waterproof USB cable. It turns your Autel tablet into a video inspection scope, allowing you to examine difficult-to-reach areas hidden from sight. Record digital still images and videos. Includes mirror, hook and magnet attachments.

MAXIVIDEO MV1058

5.5MM DIGITAL INSPECTION CAMERA

The MV105S digital inspection camera is designed to work with Autel diagnostic tablets. The MV105S features a 5.5mm camera head, LED illumination, and a 1-meter waterproof USB cable. It turns your Autel tablet into a video inspection scope, allowing you to examine difficult-to-reach areas hidden from sight. Record digital still images and videos. Includes mirror and magnet attachments.

PART NUMBER: MV108S

PART NUMBER: MV105S

TOTAL CARE PROGRAM

KEEP YOUR SHOP CRUISING WITHOUT SPEED-BUMPS.

STAY CURRENT WITH THE LATEST AUTEL SOFTWARE & INCREASE THE VALUE OF YOUR INVESTMENT.









Warranty & Free Software Updates Included With Tool Purchase
Expire 1 Year After tool Registration, Applicable to most Autel Tablets.

4 WAYS TO ENROLL:

Updating your tool coverage with a full year TCP subscription is fast and easy. Choose one of four easy ways to renew your coverage and your Autel tool will be up and running with unlimited access to the latest software and functionality.

YOUR AUTHORIZED AUTEL Dealer or retailer

Pick up a card and enter the number from the back.

DIRECTLY FROM Your Tablet

Renew quickly, right on the tool.

YOUR AUTEL.COM ACCOUNT

Visit pro.autel.com, sign in with your Autel ID and click the "Expired Software" link.

AN AUTEL CUSTOMER SUPPORT SPECIALIST

Our friendly support staff are happy to guide you through the update process.

SCAN HERE TO CONFIRM DETAILS BEFORE PURCHASING

An active subscription is required for vehicle brand requiring server access



LIMITED WARRANTY

STANDARD POLICY

Autel guarantees to the original end-user that its products are free from defects in material & workmanship for a specified period of time depending on the product.

Autel Will Repair Or Replace Warranted Products At Its Discretion:

- Replaced products will either be new or re-certified
- All re-certified products will be tested to ensure their hardware & software are functionally equivalent to new products

Do Not Open Or Disassemble Autel Products:

- · Opening and/or disassembling an Autel product will void the product's warranty
- Contact Autel Tech Support for assistance

This Limited Warranty Does Not Apply To:

- · Product with a cracked screen, broken case, chemical exposure or liquid damage
- Damaged product due to accident, abuse, misuse, natural disaster, insufficient or excessive electrical supply, abnormal mechanical or environmental conditions or unauthorized disassembly, repair or modification
- Consumable parts, such as batteries or protective coatings that are designed to diminish over time, unless failure
 has occurred due to a defect in materials or workmanship
- $\bullet \ Product \ not \ used \ in \ accordance \ with \ accompanying \ instructions \ or \ intended \ use$

STANDARD PROCEDURE

- Defective products require a Return Goods Authorization (RGA) number from Autel to be serviced
- · Contact Autel Tech Support to obtain an RGA number
- End-users are responsible for the cost of insuring & shipping products to Autel for repair or replacement
- Autel will cover the return shipping cost of the repaired or replacement tool with the same delivery speed by which
 it was received
- Tools must be properly packaged to prevent damage during transit
- $\bullet \, \mathsf{RGA} \, \mathsf{numbers} \, \mathsf{must} \, \mathsf{be} \, \mathsf{prominently} \, \mathsf{displayed} \, \mathsf{on} \, \mathsf{the} \, \mathsf{outside} \, \mathsf{of} \, \mathsf{the} \, \mathsf{package}$
- Packages received without RGA numbers prominently displayed will be returned, unopened
- · Autel cannot guarantee the security of a unit that is shipped without an Autel-issued RGA

REGISTER & UPDATE YOUR TOOLS FOR UP-TO-DATE VEHICLE COVERAGE

WARRANTY INFORMATION

Most tools and accessories in this catalog are covered under the Autel Limited Warranty for ONE (1) YEAR from date of tool purchase. MX-Sensors are covered by a two-year Limited Warranty; Autel BAY MAX and Alignment Scissor Lifts are covered by specified part and system warranties.

FREE SOFTWARE UPDATES

Any tool that has Android software gets 1 year of free software & a 1-year limited warranty. The following tools are eligible for free software updates for ONE (1) YEAR from date of tool registration.

MaxiSYS MSULTRA

MaxiSYS MS919

MaxiSYS MS909

MaxiSYS MS906 MAX

• MaxiSYS MS906 PRO-TS

MaxiSYS MSULTRAEV

• MaxiSYS MS906 PRO-TS

MaxiCHECK MX900
 MaxiSYS MS909 CV

MS906 PRO-TS • MaxiSYS MS908 CVII

• MaxiTPMS TS900

MaxiTPMS ITS600PR0

MaxilM IM608PROIIKPA
 MaxilM IM508S

Maximu im5065
 MaxiRAS RT609

The following tools are eligible for free software updates for the LIFETIME OF THE TOOL from date of tool registration.

MaxiFLASH XLINK

MaxiDIAG MD808 PR0

AutoLINK AL629

AutoLINK AL529HD

AutoLINK AL329

MaxiTPMS ITS600
 MaxiTPMS TBE200

MaxiTPMS TS508WF

• MaxilM KM100

• MaxiBAS BT608



1.855.288.3587 • AUTEL.COM • USSUPPORT@AUTEL.COM 36 HARBOR PARK DRIVE, PORT WASHINGTON, NY 11050, U.S.

¶X⊚ ▶ @AUTELTOOLS











